

Given the value of N , you will have to find the number of digits in G and L in base googol (10^{100}). The definition of G and L are given below:

$$G = \prod_{i=1}^{N-1} \prod_{j=i+1}^N GCD(i, j) \quad L = \prod_{i=1}^{N-1} \prod_{j=i+1}^N LCM(i, j)$$

If you are not accustomed with the symbol \prod , then for your kind information we give an example:

$$\prod_{i=1}^{4-1} \prod_{j=i+1}^4 GCD(i, j) = GCD(1, 2) * GCD(1, 3) * GCD(1, 4) * GCD(2, 3) * GCD(2, 4) * GCD(3, 4)$$

Here $GCD(i, j)$ means the greatest common divisor of integer i and integer j , and $LCM(i, j)$ means the Least Common Multiplicand of integer i and integer j .

Input

The input file contains at most 100 lines of inputs. Each line contains an integer N ($1 < N < 1000001$). Input is terminated by a line containing a single zero.

Output

For each line of input produce one line of output. This line contains the serial of output followed by two integers DG and DL . Here DG is the number of digits in G when written in base googol and DL is the number of digits in L when written in base googol. Don't even think of submitting a brute force solution: It will probably take more than 2 years for the largest possible input. Look at the output for sample input for format details.

Sample Input

```
10
100
20000
0
```

Sample Output

```
Case 1: 1 1
Case 2: 11 146
Case 3: 494294 14972385
```