

Given the value of  $N$ , you will have to find the value of  $S$ . The definition of  $S$  is given in the following code:

```
S=0;
for(i=1;i<=N;i++)
    for(j=1;j<=N;j++)
        if((N \% i)==0 && (N \% j)==0)
            S+=gcd(i,j);
```

/\*Here 'gcd()' is a function that finds the greatest common divisor of the two input numbers. '%' is standard remainder sign from C/C++/java syntax where 'a % b' is the remainder of a modulo b, so '(N % i) == 0 && (N % j) == 0' means N is divisible by both i and j\*/

## Input

First line of the input is  $T$  ( $T \leq 100$ ), then  $T$  test cases follows in next  $T$  lines. Each line contains an integer  $N$  ( $1 \leq N \leq 100000000000000$  or  $10^{14}$ ). The meaning of  $N$  is given in the problem statement.

## Output

For each test case print a line in 'Case  $I$ :  $S$ ' format where  $I$  is case number and  $S$  is the value for the  $N$  of this case. The value of  $S$  will fit in a **64-bit** signed integer.

## Sample Input

```
12
1
2
3
4
5
6
7
8
9
10
1000
10000
```

## Sample Output

```
Case 1: 1
Case 2: 5
Case 3: 6
Case 4: 15
Case 5: 8
Case 6: 30
Case 7: 10
Case 8: 37
Case 9: 23
Case 10: 40
Case 11: 8584
Case 12: 97027
```