

During the power crisis in New Zealand this winter (caused by a shortage of rain and hence low levels in the hydro dams), a contingency scheme was developed to turn off the power to areas of the country in a systematic, totally fair, manner. The country was divided up into N regions (Auckland was region number 1, and Wellington number 13). A number, m , would be picked ‘at random’, and the power would first be turned off in region 1 (clearly the fairest starting point) and then in every m ’th region after that, wrapping around to 1 after N , and ignoring regions already turned off. For example, if $N = 17$ and $m = 5$, power would be turned off to the regions in the order:1,6,11,16,5,12,2,9,17,10,4,15,14,3,8,13,7.

The problem is that it is clearly fairest to turn off Wellington last (after all, that is where the Electricity headquarters are), so for a given N , the ‘random’ number m needs to be carefully chosen so that region 13 is the last region selected.

Write a program that will read in the number of regions and then determine the smallest number m that will ensure that Wellington (region 13) can function while the rest of the country is blacked out.

Input

Input will consist of a series of lines, each line containing the number of regions (N) with $13 \leq N < 100$. The file will be terminated by a line consisting of a single ‘0’.

Output

Output will consist of a series of lines, one for each line of the input. Each line will consist of the number m according to the above scheme.

Sample Input

```
17
0
```

Sample Output

```
7
```